



County of Fairfax, Virginia

ADDENDUM

DATE: April 21, 2022

ADDENDUM NO. 1

TO: ALL PROSPECTIVE OFFERORS

REFERENCE: RFP 2000003501

TITLE: Playground Equipment, Outdoor Fitness Equipment, Site Accessories and Related Products and Services

DUE DATE/TIME: May 6, 2022 @ 11:00 a.m.

The referenced Request for Proposal is amended as follows:

1. Refer to Attachment 1 for answers to questions received.

All other terms and conditions remain the same.

DocuSigned by:
Nicole Cifci
C42AFD859238483...

Nicole Cifci, CPPB, VCA
Contract Specialist II

THIS ADDENDUM IS ACKNOWLEDGED AND IS CONSIDERED A PART OF THE SUBJECT REQUEST FOR PROPOSAL:

Name of Firm

(Signature)

(Date)

A SIGNED COPY OF THIS ADDENDUM MUST BE RETURNED PRIOR TO DUE DATE/TIME OR MUST ACCOMPANY PROPOSAL BY WAY OF UPLOAD TO FAIRFAX COUNTY'S PROCUREMENT PORTAL AT [HTTPS://FAIRFAXCOUNTY.BONFIREHUB.COM](https://fairfaxcounty.bonfirehub.com).

NOTE: SIGNATURE ON THIS ADDENDUM DOES NOT SUBSTITUTE FOR YOUR SIGNATURE ON THE ORIGINAL RFP DOCUMENT. THE ORIGINAL PROPOSAL DOCUMENT MUST BE SIGNED.

Department of Procurement & Material Management
12000 Government Center Parkway, Suite 427
Fairfax, VA 22035-0013
Website: www.fairfaxcounty.gov/procurement
Phone (703) 324-3201, TTY: 711, Fax: (703) 324-3681

ATTACHMENT 1

- Q1. If a regional dealer is awarded the contract, will it be able to assign the contract to other dealers of manufacturers they represent to sell products across the country utilizing this contract? Several other cooperative purchasing contracts allow this.
- A1. Responsive responses to the national contract capabilities of this RFP will include current capabilities to service the contract on a national level and not potential capabilities if awarded. Examples of responses including current capabilities in place to service a national award include but are not limited to; a manufacturer with national capabilities in place responding alone, a manufacturer partnering with local dealers to provide national services, and/or a group of local or regional dealers responding collectively to provide national coverage.**
- Q2. The RFP Paragraph 9.2 section e. states "Financial Statements: Offerors shall provide their most recent audited financial statement or balance sheet with their proposal submission". We are uncomfortable submitting our audited financials with the bid. Can something else be set up to allow someone from the FCPA to view these audited financials without submitting them with the bid? In lieu of this, would a letter of bondability along with a letter of financial wellbeing from our bank be sufficient?
- A2. Financial Statements will be accepted in any form provided that they include an Income Statement and Balance Sheet. Although not a mandatory requirement, we prefer that financial statements be audited and certified. Financial statements are being required to ensure that prospective contractors have the financial capability to fulfill the requirements of the contract on a national basis.**
- Q3. In Attachment B-2, Sample 1 – Backlick Park (page 4). Can we please get specs/details on the following equipment so we can quote it accurately?
- i. 2 – 5 Year Old Structure
 - o Monuments Play Tower
 - o Talk and Tumble Counter
 - ii. 5 – 12 Year Old Structure
 - o Mega Tower w/ Turbo Challenge
 - o Galaxy Nereide
- A3. Please see the attached specs on pages 4-10.**
- Q4. In Attachment B-2, Sample 2 – Lee District Recenter Playground (page 6). Can we please get specs/details on the following?
- i. 2 – 5 Year Old Structure
 - o Discover Cave
 - o Modular Structure (can we design something here or did you have anything in mind?)
 - ii. 5 – 12 Year Old Structure
 - o Modular Structure (same question as above)
 - iii. Drainage is mentioned which is vague. Any details on the drainage being requested?
 - iv. 3 Rail Fence – Meaning a wood split rail fence? Do we have a length for it?
- A4. Please see the attached specs on pages 11-13.**
- For both modular structures, please design something.
 - Regarding the drainage – This requirement has been removed, please see Attachment B - Revised
 - Regarding the 3 Rail Fence - Wood Fence – 230' two rail fence, the split rail fence was installed along the road not the playground.

ATTACHMENT 1

Q5. In Attachment B-2, Sample 3 – Chessie’s Big Backyard (Playground Area) (page 7). Can we please get specs/details on the following?

- i. 2 – 5 Year Old Structure
 - o Metal Boardwalk/ADA Access Ramps – can we use trex decking?
- ii. 5 – 12 Year Old Structure
 - o Connection Structure
- iii. Picnic Shelters
 - o Electricity - do you mean cut outs for electric included in the shelter? Would solar panels work or do you mean underground electric lines?

A5. Below is the response to your questions.

- i. 2 – 5 Year Old Structure
 - o Metal Boardwalk/ADA Access Ramps – **Trex is acceptable**
- ii. 5 – 12 Year Old Structure
 - o Connection Structure - **Connection structure is a connection to each play feature, such as a bridge.**
- iii. Picnic Shelters
 - o Electricity - do you mean cut outs for electric included in the shelter? – **Yes, provide cut outs for future electrical outlets in the columns**
 - o Would solar panels work or do you mean underground electric lines? – **The underground electrical will be performed by others.**






Best User Age: **2-5 years**

Footings: In-ground posts
Surface installation also available

Technical information available at kompan.com

ADA ANALYSIS	Elevated Activities: 4	Accessible Elevated Activities	Accessible Ground Level Activities	Accessible Ground Level Play Types
	Present	4	1	1
	Required	2	1	1

Available Options:



To verify product certification, visit www.ipema.org

- * = Highest designated play surface.
- ** = Total height of product.
- *** = Total area of safety zone.

Highest designated play surface, space required and total area of safety zone are according to ASTM F1487.

Equipment must be installed over resilient surfacing appropriate to the safety guidelines in your area.

Product development is an ongoing process. We reserve the right to make modifications on all our products. This product may not be mirrored, scaled or altered in any way. Safety zones must be retained for proper placement of equipment. If any changes are required, please contact your KOMPAN representative at 1.800.426.9788.



Best User Age: **6 months - 4 years**




Footings: In-ground posts
Surface installation also available

Technical information available at koman.com

ADA ANALYSIS

Elevated Activities: 0	Accessible Elevated Activities	Accessible Ground Level Activities	Accessible Ground Level Play Types
Present	0	1	1
Required	0	1	1

MOMENTS



Meets ASTM F2373 requirements for children ages 6-23 months.




To verify product certification, visit www.ipema.org

* = Highest designated play surface.
 ** = Total height of product.
 *** = Total area of safety zone.

Highest designated play surface, space required and total area of safety zone are according to ASTM F1487.

Equipment must be installed over resilient surfacing appropriate to the safety guidelines in your area.

Product development is an ongoing process. We reserve the right to make modifications on all our products. This product may not be mirrored, scaled or altered in any way. Safety zones must be retained for proper placement of equipment. If any changes are required, please contact your KOMPAN representative at 1.800.426.9788.






Best User Age: **5-12 years**

Footings: In-ground installation
Surface installation also available

Technical information available at koman.com

ADA ANALYSIS	Elevated Activities	Ground Level Activities	Ground Level Play Types
Present	4	2	2
Accessible	4	2	2
Required	2	2	2

MOMENTS



To verify product certification, visit www.ipema.org

- * = Highest designated play surface.
- ** = Total height of product.
- *** = Total area of safety zone.

Highest designated play surface, space required and total area of safety zone are according to ASTM F1487.

Equipment must be installed over resilient surfacing appropriate to the safety guidelines in your area.

Product development is an ongoing process. We reserve the right to make modifications on all our products. This product may not be mirrored, scaled or altered in any way. Safety zones must be retained for proper placement of equipment. If any changes are required, please contact your KOMPAN representative at 1.800.426.9788.






Best User Age: **5-15 years**

Footings: In-ground posts
Surface installation also available

Technical information available at kompan.com

ADA ANALYSIS	Elevated Activities: 0	Accessible Elevated Activities	Accessible Ground Level Activities	Accessible Ground Level Play Types
	Present	0	3	2
	Required	0	2	2



To verify product certification, visit www.ipema.org

* = Highest designated play surface.
** = Total height of product.

Highest designated play surface and space required are according to ASTM F1487.

Equipment must be installed over resilient surfacing appropriate to the safety guidelines in your area.

Product development is an ongoing process. We reserve the right to make modifications on all our products. This product may not be mirrored, scaled or altered in any way. Safety zones must be retained for proper placement of equipment. If any changes are required, please contact your KOMPAN representative at 1.800.426.9788.



GameTime c/o Cunningham Recreation
PO Box 240981
Charlotte, NC 28224
800.438.2780
704.525.7356 FAX

QUOTE
#137631

01/09/2019

Lee District Park

Fairfax County Park Authority
 Attn:
 12055 Government Center Parkway
 Suite 425
 Fairfax, VA 22035
 Phone:
 Fax: 703-324-3987

Project #: P95886
 Ship To Zip: 22310

Qty	Part #	Description	List \$	% Disc.	Selling \$	Ext. Selling \$
1	5052	GameTime - Discover Cave W/Primary Grips				
1	38009	GameTime - Spinning Leaf Seat (Straight)				
1	38000	GameTime - The Dragonfly				
1	RDU	GameTime - Powerscape 2-5 and 5-12 Yr Old Modular Structure (per drawing)				
		(4) 80001 -- 49"Tri Punched Steel Deck				
		(1) 80656 -- Access Attachment 3' & 4'				
		(1) 81681 -- Turning Bar				
		(1) 81688 -- Therapeutic Rings Attch				
		(1) 81699 -- Bongos				
		(1) 81766 -- Leaf Seat				
		(1) 90004 -- Two Piece Hex Deck				
		(1) 90254 -- 5' Leaning Wall Climber				
		(4) 90267 -- 9' Upright, Alum				
		(6) 90269 -- 11' Upright, Alum				
		(4) 90271 -- 13' Upright, Alum				
		(1) 90369 -- River Rock Climber				
		(1) 90503 -- 2'-6"/3' Single Wave Zip Slide				
		(1) 90505 -- 5' Single Zip Slide				
		(1) 90579 -- Double Swerve Slide				
		(1) 90614 -- Walk In Double Fun-L Over				
		(1) 90792 -- Sloped Funnel Climber Timbers(Dbl)				
		(2) 91151 -- Climber Entryway - Timbers				
		(1) 91157 -- Archway W/ Socket - Timbers				
		(1) 91178 -- 3' 0" Transfer Platform - Timbers				



GameTime c/o Cunningham Recreation
PO Box 240981
Charlotte, NC 28224
800.438.2780
704.525.7356 FAX

QUOTE
#137631

01/09/2019

Lee District Park

Qty	Stock ID	Description	List \$	% Disc.	Selling \$	Ext. Selling \$
		(1) 91251 -- 5'0" - 5'6" Lily Pad Spiral Climber				
		(1) 91340 -- TimbersEnclosureW/Thunderring(Above)				
		(1) 91379 -- PS S Wave Up & On LNK (5'-5'6)				
		(2) 91457 -- Sensory Wave Entryway				
		(1) G90266 -- 8' Upright, Galv				
1	INSTALL	MISC - Installation of Above Equipment				
1	178749	GameTime - Owner's Kit				
1	8888	GameTime - Owner's Kit Discount				
1	CUSTOM	GT-Shade - Custom Square Super Dome Hip Shade, 60' Length x 60' Width x 8.5' Entry Height (8' Above Surfacing) - <i>Includes glide elbows. (1) Post at 8', (2) Posts at 9' and (1) Post at 10' to account for slope over area.</i>				
1	INSTALL	MISC - Installation of Above Shade				
2	161290	GameTime - Geo-Textile 2250 Sqft Roll				
5	161294	GameTime - Terraflow Drain 150ft Roll				
1	INSTALL	MISC - Installation of Above Geotextile & Terraflow				
240	INSTALL	MISC - Per LF 12" x 12" Trench Drain inside perimeter of curb				
3828	GTEWF	GT-Impax - Per SF Engineered Wood Fiber, Delivered & Blown-In, 12" Compacted Depth				
1	INSTALL	MISC - Supply/Install New 150 SF Sidewalk				
1	FENCE	MISC - 336 Ft Construction Fence (up to 6 months)				



GameTime c/o Cunningham Recreation
 PO Box 240981
 Charlotte, NC 28224
 800.438.2780
 704.525.7356 FAX

QUOTE
 #137631

01/09/2019

Lee District Park

Qty	Part #	Description	List \$	% Disc.	Selling \$	Ext. Selling \$
1	INSTALL	MISC - Demo to Include: - <ul style="list-style-type: none"> • Remove/Dispose (2) Small Play Structures and Footers • Remove/Dispose (1) Large Play Structure and Footers • Remove/Dispose Large Shade Structure and Footers • Remove/Dispose Sign • Remove/Dispose approx 3828 SF 10-11" EWF • Remove/Dispose 248 LF 6x6 Double Stacked Timber Border • Remove/Dispose Approx 150 SF Sidewalk 				

COLORS PER RENDERING: -

- Beige Plastics/HDPE
- Green Posts
- Brown Decks
- Burgundy Accents
- Granite Rock
- Spinning Leaf Seat - Spring Green Plastic
- Dragonfly - Green Body with Spring Green/White HDPE

Site must be free of obstructions and accessible.

Terms Per:
 USC Contract 2017001134
 Fairfax Contract 4400007871

SubTotal:
 Freight:
Total Amount:

Contract: USC



County of Fairfax, Virginia

ADDENDUM

DATE: May 2, 2022

ADDENDUM NO. 2

TO: ALL PROSPECTIVE OFFERORS

REFERENCE: RFP 2000003501

TITLE: Playground Equipment, Outdoor Fitness Equipment, Site Accessories and Related Products and Services

DUE DATE/TIME: May 6, 2022 @ 11:00 a.m.

The referenced Request for Proposal is amended as follows:

1. The following is a correction to the link provided in Attachment C, Exhibit G – Attachment 6
(CERTIFICATION OF NON-INVOLVEMENT IN PROHIBITED ACTIVITIES IN IRAN):

- a. The correct link is as follows:

<https://www.state.nj.us/treasury/purchase/forms/DisclosureofInvestmentActivitiesinIran.pdf>

All other terms and conditions remain the same.

DocuSigned by:
Nicole Cifci
C42AFD859238483...

Nicole Cifci, CPPB, VCA
Contract Specialist II

THIS ADDENDUM IS ACKNOWLEDGED AND IS CONSIDERED A PART OF THE SUBJECT REQUEST FOR PROPOSAL:

Name of Firm

(Signature)

(Date)

A SIGNED COPY OF THIS ADDENDUM MUST BE RETURNED PRIOR TO DUE DATE/TIME OR MUST ACCOMPANY PROPOSAL BY WAY OF UPLOAD TO FAIRFAX COUNTY'S PROCUREMENT PORTAL AT [HTTPS://FAIRFAXCOUNTY.BONFIREHUB.COM](https://fairfaxcounty.bonfirehub.com).

NOTE: SIGNATURE ON THIS ADDENDUM DOES NOT SUBSTITUTE FOR YOUR SIGNATURE ON THE ORIGINAL RFP DOCUMENT. THE ORIGINAL PROPOSAL DOCUMENT MUST BE SIGNED.

Department of Procurement & Material Management
12000 Government Center Parkway, Suite 427
Fairfax, VA 22035-0013
Website: www.fairfaxcounty.gov/procurement
Phone (703) 324-3201, **TTY:** 711, **Fax:** (703) 324-3681